

# Ufarol TCL 92 P

SAFETY DATA SHEET

Page: 1 of 8

SDS#: **521** 

Review/Revision Date: 05/08/17

SECTION 1 - General Information	on And Chemical Product Iden	tification		
Trade Name: Uf	arol TCL 92 P		<b>CAS #</b> : 85586-07-8	
Chemical Name: Sul	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts		Product Code: UFAROLTCL92P	
Application/Uses/ Use	ed in production of hard surface -	and laundry detergents	UTAROLICES	
Restrictions No	ne specified			
	oChem, Inc. 20 Village Court, : (732) 264 2751 * email: in	Hazlet, NJ 07730, Phone: (732) 888 fo@lidochem.com	8000	
Emergency phone #: CH	EMTREC - Day or Night - at	800 424 9300		
SECTION 2 - Hazard(s) Identific	ation			
Classification of the substance or mixture (GHS-US)		GHS Precautionary Statements - Pr	evention, Response, Storage, Disposal	
Acute tox Cat 4; H302, Eye Damage Cat 1, H318 Skin Irritant Cat 2, H315		P280: Wear protective gloves/protective P284: Wear respiratory protection	clothing/eye protection/face protection	
Aquatic Chronic 3; H412		P301+310: IF SWALLOWED: Immediately	call a POISON CENTER or doctor/physician	
Physical Hazards		P302+352: IF ON SKIN: Wash with soap a	nd water	
Hazard Statement				
H302: Harmful if swallowed		P305+351+338: IF IN EYES: Rinse cautiou: contact lenses if present and easy to do -	sly with water for several minutes. Remove	
H318: Causes serious eye damage		contact lenses in present and easy to do		
H315: Causes skin irritation H412: Harmful to aquatic life with	long lasting offects	P332+313: If skin irritation occurs: Get medical advice/attention		
H412. Harmun to aquatic me with	nong lasting enects			
OSHA Defined Hazards		P362: Take off contaminated clothing and	d wash before reuse	
This product is hazardous under th Hazard Communication Standard 2		P280: Wear protective gloves/protective	clothing/eye protection/face protection	
HNOC - Hazards Not Otherwise Cla No other hazards classified	assified	P501: Dispose of contents/container to fe	ederal, state and local regulations.	
$\land$	Signal Word	P243: Take precautionary measures again	nst static discharge	
Corrosive Irritant	Danger			
SECTION 3 Composition/inform	nation On Ingredients			
Molecular Weight: 297		Chemical FORMULA: C H	0 Na	

Molecular We	eight: 297 Chemical FORMULA: C <sub>12</sub> H <sub>26</sub> O <sub>4</sub> H	Na
CAS#:	Common Name/Synonyms:	% by Wt.
85586-07-8	Sodium Lauryl Sulfate	92-96%

## **SECTION 4 - First Aid Information**

## Description of first aid measures

## General Advice:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If Inhaled:

Remove to fresh air. If breathing becomes difficult, oxygen may be given, preferably with a physician's advice. If not breathing, give artificial respiration. Get medical attention.

## In Case Of Skin Contact:

In case of contact, immediately wash with plenty of soap and water for at least 15 minutes. Seek medical attention. Remove contaminated clothing and shoes before reuse or discard if they cannot be thoroughly cleaned.

## In Case Of Eye Contact:

Flush eyes with large quantities of running water for a minimum of 15 minutes. If present and easy to do, remove contact lenses. Hold eyelids apart during the flushing to ensure rinsing of entire surface of the eye and lids with water. DO NOT let victim rub eye(s). Do not attempt to neutralize with chemical agents. Oils/ointments should not used at this time. **GET IMMEDIATE MEDICAL ATTENTION.** 

#### If Swallowed:

If victim is conscious and alert, give water copiously to dilute chemical. **DO NOT INDUCE VOMITING. Never give anything to eat or drink to someone who is unconscious, having convulsions, or unable to swallow.** Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

## Most important symptoms and effects, both acute and delayed:

Has moderate order of toxicity. Direct contact can cause irritation of the eyes, skin, nose and throat. Repeated skin contact may cause dermatitis. Delay symptoms and effects: Ingestion may cause gastrointestinal irritation, vomiting and diarrhea.

## Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **SECTION 5 - Fire And Explosion Data**

## **Suitable Extinguishing Media:**

Standard fire fighting techniques in extinguishing fires involving this material. Use water, foam, CO2, fire extinguisher. - All types of fire extinguisher may be used.

## **UnSuitable Extinguishing Media:**

None specified

## Specific Hazards arising from the chemical:

Fire creates carbon dioxide (CO2), carbon monoxide (CO) Sulfurous gases (SOx) No unusual fire or explosion hazards noted.

## Special protective equipment and precautions for fire-fighters:

Fire fighters should wear full face, self-contained breathing apparatus and impervious clothing, such as gloves, hoods, suits and rubber boots.

## Fire-fighting equipment/instructions

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Evacuate nonessential personnel from the fire area. Water spray may be used to control dust.

## **Specific Methods**

Standard procedure for chemical fires.

## **Section 6 - Accidental Release Measures**

## Personal precautions, protective equipment and emergency procedures:

Make sure all personnel involved in the spill clean up follow good industrial hygiene practices. Spills can be handled routinely. Use adequate ventilation and wear a dust mask to prevent inhalation. Wear suitable protective clothing and eye protections to prevent skin and eye contact. (See Waste Disposal).

### **Environmental Precautions:**

Consult with environmental regulatory agencies for acceptable procedures of disposal. Stop source of spill. Sweep up spilled solid material, being careful not to create dust. Return sweeping to stock or, if contaminated, place into a chemical waste container for disposal. Small amounts will not harm vegetation. Product is readily biodegradable.

## Methods and Materials for Containment and Clean Up:

Product combined with water will give slippery surfaces. Collect any spilled product and deliver it to a qualified recipient according to local regulations. Small amounts may be rinsed away safely with water.

#### Section 7- Handling and Storage

#### Precautions for safe handling:

Avoid spilling, skin and eye contact. Avoid handling which leads to dust formation. Use spark-proof tools and explosion-proof equipment. Eliminate all sources of ignition. Take precautionary measures against static discharges. Avoid inhalation of dust. Do not eat, drink oir smoke when using the product. Provide easy access to water supply and eye wash facilities.

## Conditions for safe storage:

Store in a dry place. The bags must be stored unopened or sealed.

## Incompatibilites:

Avoid contact with oxidizing agents. Strong acids. Avoid heat.

## **Section 8 - Exposure Control and Personal Protection**

#### **Occupational Exposure Limits:**

Chemical Identity:	CAS #:	CAS #: Exposure Limit Values TWA STEL SOURCE		SOURCE	OSHA/PPM
				PEL	
Sodium Lauryl Sulfate	85586-07-8	N/Av	N/Av	ACGIH Threshold Limit Values	none
				ACGIH Threshold Limit Values	
			101	ACGIH Threshold Limit Values	

#### **Exposure Limits and Appropriate Engineering Controls:**

Exposure limits represent regulated/recommended worker breathing zone concentrations measured by validated sampling and analytical methods, meeting OSHA requirements. The following limits ( apply to this material, where, if indicated, S=skin and C=ceiling limit: ACGH TLV/TWA PARTICULATES NOT OTHERWISE CLASSIFIED : 10mg/cubic meter (INHALABLES) ACGH TLV/TWA PARTICULATES NOT OTHERWISE CLASSIFIED : 3mg/cubic meter (RESPIRABLE)

## Individual Protection Measures, (Personal Protective Equipment): Eye Protection

Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. It is generally regarded as good practice to wear a minimum of safety glasses with side shields when working in industrial environments. **Wear approved safety goggles where eye exposure is reasonably probable**.

## **Skin Protection**

Skin contact should be minimized through use of gloves and suitable long-sleeved clothing (i.e. shirts and pants). Consideration must be given to both to durability as well as permeation resistance. Neoprene, nitrile, polyethylene or PVC gloves. Use appropriate skin cream to prevent drying of skin.

## **Other Protection:**

Wear protective clothing to prevent repeated or prolonged contact.

## **Respiratory Protection**

When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the latest OSHA standard (29 CFR 1910.134) and/or ANSI Z88.2 recommendations. Use specified dust masks.

## **Ventilation Limits:**

Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: local exhaust ventilation at the point of generation.

## **Hygienic Practices:**

All food / smoking materials should be kept in a separate area away from the storage/use location. Eating, drinking and smoking should be prohibited in areas where there is a potential for significant exposure to this material. Before eating, drinking or smoking, hands and face should be thoroughly washed. Facilities storing or using this material should be equipped with an eyewash and safety shower.

## Section 9 - Physical and Chemical Properties

Appearance And Odor:	White powder		
pH:	9.0- 11.0		
Melting Point:	No data available	Flammable Limits:	Non-flammable
Freezing Point:	No data available	UEL:	Not Determined
Boiling Point:	No data available	LEL:	Not Determined
Flash Point:	No data available	Vapor Pressure(mm/hg):	Value: < 0.18 Pa / Test temp 20°C
Evaporation Rate:	No data available	Vapor Density(air=1):	No data available
Solubilities:	Very soluble in water	Autoignition Temp:	No data available
Specific Gravity:	No data available	Decomposition Temp:	No data available
Bulk Density:	500 g/l	Reactivity In Water:	None
Other Information:	Spontaneous combustibility: Value: >302°C Not explosive, not oxidizing	Viscosity:	No data available

## Section 10 - Stability and Reactivity

## **Chemical Stability and Reactivity:**

The product is stable under the recommended handling and storage conditions. May react with strong acids and stong oxidizers

## **Possible Hazardous Reactions:**

Not relevant

#### **Conditions to Avoid:**

Risk concerning dust formation: Minimum ignition energy: 15-20mJ, Lower limit explosion 50-50 g/1000 litres, Maximum explosion pressure 7.5 bar Risks concerning dust formation: K(st): 170 bar m/s.

#### Incompatible Materials:

Avoid contact with oxidizing agents. Strong acids. Avoid heat.

## **Hazardous Decomposition Products:**

Fire creates: Carbon dioxide (CO2). Carbon monoxide (CO). Sulphurous gases(SOx).

## Section 11- Toxicological Information

Information On The Likely Routes Of Exposure: Inhalation, Ingestion and Dermal.

Symptoms Related To The Physical, Chemical And Toxicological Effects:

## Inhalation Effects:

No test data found for product. Irritating to respiratory system. Dust may irritate throat and respiratory system and cause coughing.

## Skin Effects:

No test data found for product. Acts as a defatting agent on skin. May cause cracking of skin and eczema.

**Dermal Toxicity:** No test data found for product.

#### Eye Effects:

No test data found for product. Risk of serious damage to eyes. May irritate and cause redness and pain.

## Ingestion Effects:

LD50 (Oral, Rat) 2000 mg/kg May cause discomfort if swallowed LOAEL= 300 mg/kg bw/day in rats, 28 days. NOAEL= 100 mg/kg bw/day in rats, 28 days

#### Sensitization:

No test data found for product.

## Carcinogenicity/Mutagenicity:

This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIH to be "probable" or "suspected" human carcinogens. No data available for mutangenicity.

#### **Reproductive Effects:**

No reproductive toxicity.

## Neurotoxicity:

No test data found for product.

## **Target Organs:**

No test data found for product.

## Additional Toxicological Information:

Not a specific target organ toxicant(STOT) by single - or long time exposure.

## Section 12- Ecological Information

Ecotoxicity:	EC-50 value for Algae: 10-100 mg/l
Degradability:	Primary Biodegradation: MBAS = 98-100% Value: >78 p test period 28 days
Bioaccumulative potential:	88-96% MOST (OECD 301-E) No potential for bioaccumulation.
Mobility in the Soil:	No data available
Additional Adverse effect on environment:	
LC-50 value for fish: 3-20mg/l	

LC-50 value for Daphnia: 4.7 MG/L Duration: 48 hours

#### **SECTION 13 - Disposal Considerations**

#### **Disposal Instructions and Regulations:**

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Be advised that state/local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state/local regulations regarding proper disposal of material. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction. Dispose of waste and residues in accordance with local authority requirements. Incinerate with provision for removal of effluent gases by scrubber.

## Hazardous Waste Code: Not considered a hazardous waste

#### **Container Disposal Information:**

Be advised that state/local requirements for container disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state/local regulations regarding proper disposal of container.

#### Section 14 - Transport Information

US DOT, IATA, IMO, A Proper Shipping Name:	DR: Sodium Lauryl Sulphate 92%		
D. O. T. Hazard Class:	Not regulated by D.O.T	UN #:	N/Ap
Label Requirement:	None	RQ:	N/Ap
Placard:	None	CAS:	85586-07-8
Packing Group:	N/A	ERG Book Information:	None
Environment Hazards:	N/Ap	Marine Pollutant:	N/Ap
Special Precautions:	N/Ap	IATA: N/Ap	

## Section 15 - Regulatory Information

#### **US Federal - OSHA Status:**

This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910,1200.

**TSCA Status:** 

Listed/Reportable

## **U.S. SARA Reporting Requirements:**

#### SARA Title III Hazard Classes Section 302 - EXTREMELY HAZARDOUS SUBSTANCES:

This product does NOT contain ingredients listed in Appendix A and B as Extremely Hazardous substances.

## SARA Title III Hazard Classes Sections 311/312:

None

## SARA Section 313 Toxic Chemicals:

This product contains the following toxic chemical subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act:

## CAS# Chemical Name:

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels.

## SARA Superfund Section 110:

This product does not contain ingredients listed as hazardous substances on the Priority List of CERCLA Hazardous substances.

## CERCLA, 40 CFR 117, 302:

This product does not contain ingredients specified in the List of Extremely Hazardous Substances.

## **CERCLA listed substances are:**

None

## **Other Federal Reporting Requirements:**

CAA:	This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act
CWA:	No chemicals in product are listed a Hazardous Substances, Priority Pollutants or Toxic Pollutants under the CWA.
RCRA:	Not considered a hazardous waste.

## **State Reporting Requirements:**

## State Right to Know Laws:

CAS# State RTK

Chemical Name

## **CALIFORNIA PROPOSITION 65:**

This product does NOT contain a chemical or chemicals subject to California Proposition 65.

## Michigan Critical Materials:

This product does NOT contain ingredients listed on the Michigan Critical Materials Register.

## **Global Lists/International Inventories:**

Canada CEPA:Listed on the DSLCanada WHMIS:No information found.

## **SECTION 16 - Other Information**

Reviewed 5-1-17 new CAS number, minor changes. HEALTH HAZARD 4. DEADLY 3. EXTREME FIRE HAZARD Please use this MSDS. FLASH POINTS 4. BELOW 73°F 3. BELOW 100°F DANGER HAZARDOUS SLIGHTLY 2. ABOVE 100°F NOT EXCEEDING 200°F HAZARDOUS 1. ABOVE 200°F 0. WILL NOT BURN 1 MATERIAL 2 0 SPECIFIC HAZARD OXIDIZER N/R INSTABILITY OX ACID ALK COR 4. MAY DETONATE 3. SHOCK AND HEAT MAY DETONATE ACID ALKALI CORROSIVE 2. VIOLENT CHEMICAL CHANGE 1. UNSTABLE IF USE NO WATER RADIOACTIVE W HEATED 0. STABLE Date of last revision: 5-8-2017

NOTICE: OSHA STANDARD 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a Hazard Communication Program including training, labeling, Material Safety Data Sheets, and access to written records. We request that you, and it is your legal duty, make all information in this Material Safety Data Sheet available to your employees.

## **Key Legend Information:**

N/R: Not Rated ND: Not Determined	
ACGI American Conference of Govr'ntal Industrial Hygienists NDA: No Data Available	
OSHA: Occupational Safety and Health Administration TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit TWA: Time Weighted Average	
STEL: Short Term Exposure Limit NTP: National Toxicology Program	
IARC: International Agency for Research on Cancer TSCA: Toxic Substance Control Act	
SARA Title III: Superfund Amendments and Reauthorization Act CERCLA: Comprehensive Response, Compensation and Liability A	١ct
CAA: Clean Air Act CWA: Clean Water Act	
RCRA: Resource Conservation Recovery Act	
IATA: International Air Transport Association Shipping Info. IMO: International Maritime Organization Shipping Info.	
DSL: Domestic Substance List (Canada) WHMIS: Workplace Hazardous Materials Information System	

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This Safety Data Sheet was prepared to comply with OSHA Hazard Communication standard. (29 CFR 1910.1200 HazCom 2012). This supersedes any previous information. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by LidoChem, Inc. as to the effects of such use or the results to be obtained, nor does LidoChem,Inc. assume any liability arising out of use, by others, of the products referred to herein. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist because of applicable laws or government regulations. All LidoChem Inc. SDS's are reviewed every three years or sooner if necessary. Please check the Review Date on Page 1 for most current version. Please request a new SDS from LidoChem, Inc. if the date is older than 3 years.